# SPECIFICATION SHEET for AMMONIA SENSOR with FAST RESPONSE TYPE NH3/CR-200

# PERFORMANCE CHARACTERISTICS

| Nominal Range                  | 0 – 100 ppm               |  |
|--------------------------------|---------------------------|--|
| Maximum Overload               | 200 ppm                   |  |
| Expected Operation Life        | 2 years in air            |  |
| Output Signal                  | $90 \pm 18$ nA/ppm        |  |
| Resolution                     | 1 ppm                     |  |
| Temperature Range              | - 10 °C to 40 °C          |  |
| Pressure Range                 | Atmospheric <sup>1)</sup> |  |
| Pressure Coefficient           | No data                   |  |
| T <sub>90</sub> Response Time  | < 50 sec                  |  |
| Relative Humidity Range        | 15 % to 90 % R.H.         |  |
|                                | non-condensing            |  |
| Baseline                       | 0 ppm $\pm$ 4 ppm         |  |
| Maximum Zero Shift (+20°C to   | -8 ppm                    |  |
| +40°C)                         |                           |  |
| Typical Long Term Output Drift | < 5% per 6 months         |  |
| Recommended Load Resistor      | 10 Ohm                    |  |
| Bias Voltage                   | Not allowed               |  |
| Repeatability                  | < 3 % of signal           |  |
| Output Linearity               | < 5 % full scale          |  |
| Humidity Effect <sup>2)</sup>  | < 4 ppm                   |  |
|                                |                           |  |

<sup>1)</sup> no data for deviations

<sup>2)</sup> abrupt changes in rel. humidity causes a short term transient signal

## **CROSS-SENSITIVITY DATA**

| Interfering Gas                | Concentration | Reading |
|--------------------------------|---------------|---------|
| СО                             | 300 ppm       | 0 ppm   |
| H <sub>2</sub>                 | 200 ppm       | 0 ppm   |
| SO <sub>2</sub> <sup>3)</sup>  | 20 ppm        | -7 ppm  |
| H <sub>2</sub> S <sup>3)</sup> | 20 ppm        | 7 ppm   |
| NO <sup>3)</sup>               | 20 ppm        | -1 ppm  |
| NO <sub>2</sub> <sup>3)</sup>  | 20 ppm        | -20 ppm |
| Cl <sub>2</sub>                | 20 ppm        | -55 ppm |
| CO2                            | 2 %           | 0 ppm   |
| C2H4                           | 1000 ppm      | 0 ppm   |


 $^{\scriptscriptstyle 3)}$  Long term exposures and high concentrations may affect the performance characteristics


Performance data conditions: 20 °C, 50% RH and 1013 mbar

## PHYSICAL CHARACTERISTICS

| Weight               | ~ 13 g              |
|----------------------|---------------------|
| Position Sensitivity | None                |
| Storage Life         | Six months in       |
|                      | container           |
| Recommended Storage  | 5 °C – 20 °C        |
| Temperature          |                     |
| Warranty Period      | 12 months from date |
|                      | of dispatch         |

### **Compact-Size Outline Dimensions**





# APPLICATIONS

Leak Detection Safety and Environmental Control

REV.: 4/2015


Page 1 of 2

**İSweek** www.isweek.com Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China Tel: + 86–755–83289069 Fax: + 86-755-83289052 E-mail: sales@isweek.com

# SPECIFICATION SHEET for AMMONIA SENSOR with FAST RESPONSE TYPE NH3/CR-200

## **TEMPERATURE DEPENDENCE**

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors, along with confidence intervals corresponding to  $\pm 3$  times the standard deviation. The sensitivity dependence is expressed as a percentage of the signal at 20 °C. The shift in baseline is shown in ppm referenced to 20 °C.



The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

REV.: 4/2015

Page 2 of 2

# Sweek www.isweek.com

Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China Tel: + 86–755–83289069 Fax: + 86-755-83289052 E-mail: sales@isweek.com