

Water flow sensor

Model:YF-S201



İSweek www.isweek.com Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China Tel: + 86-755-83289036 Fax: + 86-755-83289052 E-mail: sales@isweek.com

iSweek.com

specifications:

Product appearance	Conform to the design	The external dimensions and indicated contents are consistent with the approved drawings and technical documents approved by the procedures. The installation is well coordinated and has a permanent flow direction sign
		There are no obvious cracks, bumps, burrs and deformations on the surface
Distribution mechanical strength	≥30N/ Arbitrary direction	Pull the wiring with a tension gauge, give the force 1min/30N force, There must be no looseness in the Wiring.
Flow characteristics	F= (7.5*Q) error≤2%	2 to 12L/min water flow is applied at the inlet of the water flow sensor, and its output frequency characteristics should meet the standard requirements, formula F is Hz, Q is L/min.
High level	≥4.6V	The water flow sensor is connected with the 5V power supply, and is directly measured by the scilloscope through the 8L/min water flow. The
Low level	≤0.5V	water flow sensor can be artificially placed at the high level and tested with a multimeter voltage profile
Electrical strength	1250V/min	In the case with any lead wire, the experimental voltage is 1250V, the setting current is 8mA, the experimental time is 1min, no breakdown, no flashover.
Insulation resistance	≥100MΩ	In 500V/ measuring insulation resistance.
Output duty cycle	50%±10%	The flow sensor is connected to the 5V power source and is directly measured by an oscilloscope using the 8L/min current
low temperature		1) place the sample in -20° C constant temperature box 2h, remove and stay 1h.
high temperature		box 2h, remove and stay 1h. 3) and then put the sample in the -20 $^{\circ}$ C constant
thermal shock	Flow characteristics, output waveform should meet the technical requirements	temperature box 0.5h, put in -90°C constant temperature box 0.5h., repeat third 5 cycle inspection
damp		The sample at the temperature of $40 \pm 2^{\circ}$ C, the relative humidity of 90% ~ 95%RH environment 48h, and then placed 2h at room temperature to confirm, re test the parameters, and parts without cracks, relaxation, deformation and other abnormalities
Water pressure test	≤1.75Mpa	Stop the water flow sensor plug, applied pressure is less than or equal to 1.75MPa at the other end, the flow sensor without any leakage.

external thread G1/2

iSweek www.isweek.com

Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China

Tel: + 86-755-83289036 Fax: + 86-755-83289052

Size (mm)



İSweek www.isweek.com Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China Tel: + 86-755-83289036 Fax: + 86-755-83289052 E-mail: sales@isweek.com